Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

 (currently amended) An apparatus for continuously receiving update messages for a plurality of records, wherein each of the plurality of records has an identifier (ID), and wherein each update message comprises an update and one of the IDs, the apparatus comprising:

an input for receiving at least some of the update messages; and

a processor coupled to the input, the processor for processing each update message when the ID of the update message is one of a <u>selection</u>first-plurality of IDs, and for providing a processed update and the one of the <u>selection</u>first-plurality of IDs to a <u>user application module</u>first-output, and the processor for <u>storingproviding</u> the update message and the ID of the update message to a <u>data storage unitsecond output</u>, without first processing the update message, when the ID of the received update message is not one of the <u>selection</u>first plurality of IDs; and

a first memory coupled to the second output for storing the update message and the ID of the update message.

- 2. (currently amended) An apparatus in accordance with claim 1_a wherein the processor further comprises a <u>cachethird output</u>, the processor for processing the update message when the ID of the update message is one of a <u>watchlistseeond pularity</u> of IDs, and the processor for providing a processed update and the one of the <u>watchlistseeond plurality</u> of IDs to the <u>cachea third output</u>; and <u>wherein the apparatus further comprises a second memory coupled to the third output for storingwherein</u> the processed update and the one of the <u>watchlistseeond plurality</u> of IDs are stored in the cache.
- 3. (currently amended) An apparatus in accordance with claim 2, further comprising awherein the user application module coupled to the first output for receiving the processed update and the one of the first plurality of IDs, and for processingprocesses the update message in accordance with user specific requirements.

- (original) An apparatus in accordance with claim 3 wherein the application module comprises a display module for preparing the update for presentation on a display.
- (original) An apparatus in accordance with claim 4 further comprising a user input device coupled to the application module, the user input device for providing inputs from a user to the application module.
- 6. (currently amended) An apparatus in accordance with claim 3, further comprising a request module coupled to receive a user request that provides at least one ID, the request module coupled to the <u>cacheseeond memory</u> for determining whether a record having the at least one ID is stored in the <u>cacheseeond memory</u>, and when the record having the at least one ID is stored in the <u>cacheseeond memory</u>, the request module retrieves retrieving the record having the at least one ID from the <u>cacheseeond memory</u> and the request module eeupled to provides the record having the at least one ID to the application module.
- 7. (currently amended) An apparatus in accordance with claim 6, wherein the request module is further coupled to the processor for providing the at least one ID to the processor when a record having the at least one ID is not stored in the <u>cachesecond memory</u>, the processor coupled to the <u>data storage unitfirst memory</u> for retrieving update messages having the at least one ID therefrom, for processing the retrieved update messages to produce an updated record, and the processor for providing the updated record to the application module.
- (currently amended) An apparatus in accordance with claim 7, wherein the data storage unitfiest memory comprises any one of a magnetic, optical and semiconductor data storage device.
- (currently amended) An apparatus in accordance with claim 7, wherein the <u>cacheseeond</u>
 memory comprises <u>any one of a magnetic, optical and semiconductor data storage device.</u>
- 10. (currently amended) An apparatus in accordance with claim 7, wherein the <u>data storage</u> <u>unitfirst memory</u> comprises a magnetic data storage device, and wherein the <u>cache</u>seeond <u>memory</u> comprises a semiconductor data storage device.

- 11. (original) An apparatus in accordance with claim 7 further comprising a filter coupled to receive broadcast update messages for the plurality of records, and the filter coupled to the input for providing the at least some of the update messages.
- 12. (original) An apparatus in accordance with claim 1 further comprising a receiver for receiving a broadcast signal, and the receiver coupled to the filter to provide the broadcast undate messages.
- 13. (currently amended) A method for processing update messages for a plurality of records wherein each of the plurality of records has an identifier (ID), and wherein each update message comprises an update and one of the IDs, the method comprising the steps of:

receiving at least some of the update messages;

when the ID of a received update message is one of a <u>selectionfirst-plurality</u> of IDs, processing the update message to produce an update and providing the update and the ID of the received update message to a <u>user application module first-output</u>; and

when the ID of the received update message is not <u>one</u> of the <u>selection offirst plurality</u> IDs, storing the update message and the ID of the received update message in a <u>data storage unitfirst memory</u>, without first processing the update message.

- 14. (currently amended) A method in accordance with claim 13, further comprising the step of processing the update message to produce an update, and storing the update and the ID of the received update message in a <u>cache</u>seeond memory when the ID of the received update message is one of a watchlistseeond plurality of IDs.
- 15. (currently amended) A method in accordance with claim 14, further comprising the steps of:

receiving the update and the ID of the received update message from the \underline{uscr} application $\underline{modulefirst}$ output; and

processing the update in accordance with user specific requirements.

16. (original) A method in accordance with claim 15 wherein the processing step further comprises the step of preparing the update for presentation on a display.

- 17. (original) A method in accordance with claim 15 further comprising the step of receiving the user specific requirements prior to the step of processing.
- 18. (currently amended) A method in accordance with claim 15_a further comprising the steps of:

receiving a user request that provides at least one ID;

determining whether a record having the at least one ID is stored in the <u>cache</u>seeond memory;

when the record having the at least one ID is stored in the <u>cache</u>seeond memory, retrieving the record having the at least one ID from the <u>cacheseeond memory</u>; and

processing the record having the at least one ID in accordance with user specific requirements.

19. (currently amended) A method in accordance with claim $18_{\mathtt{a}}$ further comprising the steps of:

retrieving update messages having the at least one ID from the <u>data storage unitfirst</u>

memory when the record having the at least one ID is not stored in the <u>cacheseeond memory</u>;

processing the retrieved update messages to produce an update record; and

processing the update record in accordance with user specific requirements.

- (original) A method in accordance with claim 13 further comprising the steps of: receiving broadcast update messages for the plurality of records; and providing the some of the update messages.
- 21. (new) An apparatus according to claim 1, wherein each of said update messages includes an intermediate consolidated update message and a complete consolidated update message.
- (new) A method according to claim 13, wherein each of said update messages
 includes an intermediate consolidated update message and a complete consolidated update
 message.